

# GESTION DES SERVEURS

---

## INTRODUCTION

---


The "Servers" page in the BlueMind admin console allows you to manage the BlueMind installation servers and the services they host.

## ADDING A SERVER

---

To add a new server, go to the System Management page, then Application's Servers:

1. **Add the server to BlueMind:** click "New Server" and fill in the details of the server on which the service(s) have been installed:



- Name: the name given to the server can be different from the name of the server in the network. You are free to choose any name.
- IP: the server's IP address
- FQDN: "Fully Qualified Domain Name". This is the server's full name in the domain.

The "Create" button (or <Enter> key) adds a new server to BlueMind, without any specific role. The "Create & edit" button (or <Ctrl-Enter> keys) adds a new server and redirects you to its administration panel so that you can assign it one or several roles.



Services must be installed and accessible during configuration, otherwise a message such as "Can't connect to Node Server..." will appear and you will not be able to add the server.

2. Enable the server's role(s): go to the server administration panel ("Create & edit" above, or select it from the servers list)
  - Go to the tab "Server roles", which shows all assignable roles.
  - Tick the roles corresponding to the service(s) installed.
  - Validate by clicking "Save" at the bottom of the screen to apply the changes.

The new server is now available and can be assigned to the corresponding services in the [domain administration](#) section.

## MANAGING A SERVER

---

To access the administration panel of the server you want to manage, click the relevant server in the list of servers.

The first tab, "**Basic parameters**", shows the server localisation settings. Only the name and description can be modified, the IP address and the FQDN (Fully qualified domain name) can't:

**Basic parameters** | Server roles

Name *	<input type="text" value="mail"/>
IP *	<input type="text" value="172.16.148.127"/>
FQDN *	<input type="text"/>
Description	<input type="text"/>

The "Server roles" tab allows you to specify the mail system, indexing and services roles the server is able to perform:

Basic parameters | **Server roles**

**MAIL SYSTEM**

- Internal mail server
- Mail relay
- Mailbox storage server
- Mailbox connection server
- Mail archive server

**INDEXING / SEARCHING**

- Event's indexing server
- Contact's indexing server
- Email's indexing server
- Instant messaging indexing server

**BM SERVICES**

- Core Server
- MQ Server
- SSO proxy
- XMPP Server
- Admin console
- Calendar application
- Webmail application
- Contact application
- Settings application
- Default app redirector