

ADMINISTRATION DES UTILISATEURS

INTRODUCTION

Users are individuals who connect to BlueMind. Users have access to BlueMind features depending on their profile.

Two types of users with the following profiles can be created:

- user: access to the Mail, Calendar, Contacts and Settings applications.
- admin: access to user applications plus the admin console.

Administration roles:

- **Functional domain administrator** (usually called **domain administrator**). Domain administrators are users who have been given admin privileges. Several users can act as functional administrators on a single domain. They manage users, groups and users from the BlueMind admin console as well as domain configuration and shared items (mailboxes, calendars, address books). They can delegate permissions by creating other administrators.
- **Platform administrator** (also called **global administrator**). There is only one global administrator on any one BlueMind install. The global administrator logs in with the username `admin0@global.virt` and is responsible for the technical aspects of the platform. The global administrator does not have a user account and only has access to the admin console. The global administrator is responsible for installing and configuring domains: server addresses, disk space, specific scheduled jobs, etc. and has access to the same administration functionalities as domain administrators.

CREATING A USER

From the homepage or the "Directories" page, click "Create user" and complete the new user information in the dialog box that opens:

New user

Member of delegation

First Name Last Name *

Display Name

Login * Password *

profile

Hide from Blue Mind address lists

Mail Address

Default email

@

@

All Aliases
blue-mind.net
blue-mind.fr
blue-mind.org

Create Create & edit Cancel




The display name is generated automatically when the First and Last names are entered and cannot be edited.



Only fields marked with an asterisk (Last Name, Login and Password) are mandatory.

Accounts can be created with or without an email address:

- Without an email address, the "Mail" section is disabled and the "Mail" tab is unavailable.
- When you click "Mail address", the Mail account is activated and a default, non-editable email address based on the login username is created automatically.
- To add aliases, click  at the end of the row.
- If the install has several domain aliases, each email address can be registered on a specific domain or on all aliases. BlueMind allows you to create as many aliases as you like on as many domains aliases as you like.

Quick create

The "Create" button (<Enter> key) quickly creates a user with the information entered in the dialog box and the following default settings:

- server localization (time zone, format, etc.)
- default storage server, with no disk space quota
- no auto-reply or auto-forward
- no contact details
- the calendar can be shared with the option "can invite me to a meeting". This means that other domain users cannot view this user's calendar but are able to invite them to an event
- the mailbox is not shared
- archiving is disabled

These settings can be changed later in the admin console.

Create and edit

The "Create and edit" button (<Ctrl+Enter>) creates a user with the information entered in the dialog box and the default settings, and automatically redirects you to the user settings editor.

EDITING AND MANAGING USERS

From the homepage or the "Directories" page, go to "Directory Browser" and select the user from the list.

The user's information is shown in tabs:

User : 'jdoe'

General | User Informations | Mail settings | Archive | Address Books | Calendar settings | Todolists | Maintenance

ACCOUNT NAME Suspended

Login *

Member of delegation

Admin of delegation

Groups [Edit group membership](#)

Profile

GENERAL

Language

Time zone

Date format

Time format

Default application

"ADMINISTRATION"

Domain's administrator

"GENERAL"

Api docs

Calendar and tasks

Instant Messaging


General


General user information

The "General" tab shows the main user information -- account details, profile, group(s), password, time format settings...

It also allows you to set the user as the member or administrator of a root delegation.


Group memberships

 **New in BM3.5** The link "Edit group membership" opens a popup window showing the groups users belong to and can be edited.



To delete a group, click the corresponding "x". To add a group, simply type the group's name in the text box and validate it when suggested by autocomplete.

Roles: administration rights and access to features

 **New in BM3.5** Administration rights have been expanded and you can now set which rights are granted to a user or a domain administrator. You can therefore specifically authorize them to manage:

- users
- groups
- domain address books
- domain calendars
- shared mailboxes
- resources
- the domain (maximum quota max, number of users)
- ...

ROLES

Role: Root roles : "Change own information", "Change own mail filters", "Change own mail identities", "Change own password", "Change own settings", "Change own information", "Change own mail identities", "Webmail and Contact", "Change own settings", "Drive", "Instant Messaging", "Change own password", "Calendar and Tasks", "Change own mail filters", "Linked attachments"



Root

ADMINISTRATION

- System manager

CLOUD

- Drive
- Linked attachments

GENERAL

- API docs integration
- Calendar and Tasks
- Change own information
- Change own mail filters
- Change own mail identities

Delegating rights

Administrators are only able to delegate a right they have, except for access to applications -- e.g. even if they don't have a mail account or access to the Calendar application, they can enable "Mail and Contacts" or "Calendar and Tasks" for users they administrate.

Rights are organized into the following sections:

- **Administration**: used to delegate administration rights on entities

- **Cloud:** used to give access to the linked attachment and attachment storage features
- **General:** used to give access to applications (webmail, calendar, etc.) and other key features (personal mail filters, identities, mail transfer, etc.)
- **Mail:** used to give access to mail-specific features

Inherited rights

The rights granted can only be added to the rights inherited from a group: the rights assigned to a group the user belongs to cannot be unchecked in the user's page.

Applications can therefore be shown as unchecked but be available to a user regardless: the user belongs to a group for which the application is enabled. Make sure you check the groups the user may belong to (see above).


This is also what enables a newly-created user to have access to basic applications: when users are created, they belong to the "user" group which, by default, on a classic blank install, has access rights to the "Calendar and Tasks" and "Mail and Contacts" applications.

For more details on roles, please go to the [Roles: Access and Administration Rights](#) page as well as the [Delegated Administration](#) page.


User information

The "User Information" tab is used to complete user contact details.

Administrators can enter information such as telephone numbers, postal addresses or assign pictures that will be used throughout the application (e.g. in [Contacts](#) or the [dialler](#)).

 User : 'jdoe'

General **User Informations** Mail settings Archive Address Books Calendar settings Todolists Maintenance







John Doe ...

Company BlueMind.Loc


Job title

Department Department


Work phone ▼ +33123456789  

Work fax ▼ +33987654321  

Work phone ▼ Work phone

Work address ▼
31 620 Labège 


Address ▼

Work url ▼ 

Website ▼ Website

Birthday

Manager John Smith

Note **B I U** 

User contact information belongs to the internal BlueMind directory and can be seen by all users. Only administrators are allowed to edit this information. Users themselves are unable to access this page or edit it.



The "Change own information" role now allows users to manage their own information details. Currently, changes can only be made by script with users' API keys. A management interface will be available soon in settings.

Mail settings

The "Mail settings" tab gives you access to mail-related settings:

User : 'jdoe'


General | User Information | **Mail settings** | Archive | Address Books | Calendar settings | To-do lists | Maintenance

Blue Mind email

EMAILS

Storage server: 192.168.164.131

Quota: Set quota to 100 MiB No quota

Quota used:  35 %

Hide from Blue Mind address lists

Emails: Default email: jdoe@bluemind.loc

jdoe @ bluemind.loc

MY IDENTITIES

Default identity	Signature name	Email	Sender name	
<input checked="" type="radio"/>	John Doe	jdoe@bluemind.loc	John Doe	Update

[Add identity](#)

MAILBOX SHARING

SHARE WITH ALL USERS

Allow public share

Can see my mailbox

SHARE WITH SPECIFIC USERS OR GROUP

[Save](#) [Cancel](#)

Email addresses

- **Storage server**: server that handles this user.
- **Disk space quota**: maximum storage space for a user's mailbox.




New in BM3.5


Quota usage is now visible with the progress bar shown in the screenshot above.

About space quotas

When disk space quota is enabled, the disk usage percentage is displayed permanently in Mail at the bottom of the left-hand pane and hovering with the mouse shows usage details:



Disk space quota usage is color-coded – orange = 75% used, dark red = 85% used, and red 100% used:



When a quota is reached, incoming emails are blocked. These messages can be kept on the server for a few days. This may also cause disruptions to send - and possibly delete - operations as the system needs to perform copies in a temporary and/or trash folder.

Space quotas and deletion

To delete messages when the disk quota has been reached, use the delete permanently function (without sending them to the trash) by pressing <SHIFT+Del>.



When a space quota has been reached, you can increase it manually and decrease it back to its original size at any time.

- **Main email address** and alias: users can have as many email aliases as desired, on any or all domain users available. The email address created when a user is created cannot be edited or deleted.

My identities

Identities allow users to write messages as an alias or a shared mailbox or to set up different signatures.

MY IDENTITIES

Default identity	Signature name	Email	Sender name		
<input checked="" type="radio"/>	John Doe - no signature	jd@bluemind.loc	John Doe	Update	
<input type="radio"/>	John Doe - signature	jd@bluemind.loc	John Doe	Update	
<input type="radio"/>	John perso	jd@bluemind.loc	John	Update	

[Add identity](#)

To find out more, go to the user's guide page -- [Identities](#).

Mailbox sharing

The sharing section is used to make a user's mailbox public (shared with all directory members) or customize its sharing options (share mailbox with specific users or groups only).

By default, when a user is created, sharing is disabled.

A mailbox's sharing rights can be set:





- by administrators through the UI described here
- by users, through settings: Settings icon > Mail section > Sharing.

PUBLIC SHARE

Allow public share
Can read

SHARE WITH SPECIFIC PEOPLE OR GROUP

Add people or group...

 John Smith	Can update and manage sharing	
 A Team	Can update	


To find out more about sharing and privileges, go to the user's guide page: [Mail preferences | §5 - Sharing](#)

Forwarding emails

Since BlueMind 3.0.31, you can set up several addresses for email messages to be forwarded to.

FORWARD EMAILS

Forward message to

 **New in BM3.5** Autocomplete looks for addresses in all user address books (directory, personal address books, etc.).

You can also add external addresses manually. These will not be added to collected addresses when messages are forwarded.

Vacation









This section is used to enable or disable a user's vacation responder.

To find out more about configuration and sending rules, go to the user's guide page -- [Mail preferences | §1 - General preferences](#)

My filters

Filters lets you apply sorting rules and actions to be performed automatically on a user's incoming messages.

MY FILTERS

Criteria	Action	Active
Subject contains [SPAM]	Move to: Junk email	<input checked="" type="checkbox"/>    
From is doe	Move to: perso	<input checked="" type="checkbox"/>    

[Add filter](#)

To find out more about configuration and sending rules, go to the user's guide page -- [Message filters](#)

Archiving

When archiving is enabled for the domain, it applies to all domain users. You can however customize archiving rules by group or by user, or enable individual archiving if no global domain policy has been set.

By default, domain settings are applied and can be seen in the user's section:

General | User Information | Mail settings | **Archive** | Address Books | Calendar settings | To-do lists | Maintenance

ARCHIVE

Enable Archiving:

Reset archive policy:

Retention (days):

Archive quota (MiB)

EXCLUDED FOLDERS

Inbox:

Outbox:

Drafts:

Trash:

Sent:

Junk:

Perso:

Démo BlueMind:

Vidéos:

The Archive tab is used to:

- [enable individual archiving](#) if no [global domain archiving policy](#) has been set.



The reverse is not possible -- archiving cannot be disabled for a user if it enabled for a domain or a group the user belongs to.

- [customize the number of days](#) after which messages are archived. All older messages will be archived.
- [customize the disk space quota](#) allocated to this user.



The quota cannot exceed the maximum domain quota: if you enter a number that exceeds it, it will be taken down to the maximum quota when you save.

- check or uncheck the folders you want to **exclude** as needed
- click "Save" to apply the changes.

The "[Reset archive policy](#)" box is used to reset the user's default values – either those of the group it belongs to, or the domain's if no specific settings have been set for the group:

- check the box, the form is grayed out
- click "Save"
- the information is saved, the form is enabled again and it contains the data set for the hierarchy level above it (group or domain).



The MiB (Mebibyte) is a multiple of a byte – not to be confused with the MB (megabyte) – it is equal to 1024 kibibytes, which itself is equal to 1024 bytes.

Therefore, 9 MiB equals 9.43718 MB.

Address Books

This tab is used to manage user subscriptions to the address books available to them (personal address books or address books shared with them) as well as manage how their address books are shared with other users or groups.

User : 'jdoe'

General User Informations Mail settings Archive **Address Books** Calendar settings Todolists Maintenance

SUBSCRIPTIONS

<input type="text" value="Add"/>	
Collected contacts	
Famille	
My contacts	
Clients (shared by Clients)	
Directory (shared by Directory)	

ADDRESS BOOK SHARING

My contacts

PUBLIC SHARE

Allow public share

Save Cancel

Administrators are not, however, able to create address books for users.

To find out more, go to the user's guide page -- [Contact preferences](#) and [Managing Shares](#).

Calendar sharing

The "Calendar settings" tab contains all user-specific parameters (working hours and days, items displayed, etc.) as well as sharing options and subscriptions (users or domains) for calendars shared with them:

Week starts on

Default view

Show weekends yes no

Day starts at

Day ends at

Working days

Show declined events yes no

CALENDAR SHARING

PUBLIC ADDRESS

Allow public address
Allow people with your calendar address to subscribe to your calendar and see your public events

<https://mail.bluemind.loc/calendar/publish/calendar:Default:95767B5B-D5C6-4078-B9A1-336BD6E82C59>

i Administrators cannot create additional calendars for users but they can manage how they are shared both for domain users and individuals outside BlueMind:

CALENDAR SHARING

Allow people with your calendar address to subscribe to your calendar and see your public events

<https://mail.bluemind.loc/calendar/publish/calendar:Default:95767B5B-D5C6-4078-B9A1-336BD6E82C59>

PRIVATE ADDRESS

Allow private address
Allow people with your calendar address to subscribe to your calendar and see your public and private events
[Reset private address](#)

<https://mail.bluemind.loc/calendar/publish/calendar:Default:95767B5B-D5C6-4078-B9A1-336BD6E82C59/x-private-APP9ixfpFwgAAPvZkS1VMwzgkubzkmyu>

PUBLIC SHARE

Allow public share

SHARE WITH SPECIFIC PEOPLE OR GROUP

admin	<input type="text" value="Can update my events"/>	
.John.Smith	<input type="text" value="Can update my events"/>	

Todolists

This tab is used to manage user to-do lists and users' subscriptions to lists shared with them:

 User : 'jdoe'

General User Informations Mail settings Archive Address Books Calendar settings **Todolists** Maintenance

TODOLISTS SHARING



My tasks ▾

PUBLIC SHARE

Allow public share
Can read ▾



SHARE WITH SPECIFIC PEOPLE OR GROUP

Add people or group...

 John Doe	Can update ▾	
--	--------------	---

SUBSCRIPTIONS

Add

Commerce (shared by John Doe)	
Development (shared by John Doe)	
My tasks (shared by John Doe)	

To find out more, go to the user's guide pages on [to-do lists](#) and [Managing shares](#)

Maintenance

This tab gives you access to maintenance features and user preferences:

User : 'jdoe'

General User Information Mail settings Archive Address Books Calendar settings To-do lists **Maintenance**

EXTERNAL ID

external id

VALIDATE USER

Validate and repair user data

AS THE USER

[BlueMind](#)

PASSWORD

Password
Confirm password

MAILBOX INDEXING

Consolidate mailbox index
Reconstruct mailbox index

MOBILE DEVICES

Partnership	Identity	Type	Last Sync			
<input checked="" type="checkbox"/>	FQ	iPad	Wednesday, October 30, 2019 08:32	<input type="button" value="Reset sync"/>	<input type="button" value="Remote wipe"/>	<input type="button" value="Delete"/>

[Refresh list](#)

External ID

This box is filled in when the user is synchronized with an **AD** or **LDAP** account. It can be filled in or edited to force or correct the user's UID in the AD or LDAP directory.

Validate user

The "Execute" button runs a "Validate and repair" operation on the user's account. This includes a series of operations that verify and correct – if needed – the user's integrity and their data in the BlueMind system – verification of the mailbox in Cyrus, calendar and address books containers, IMAP folders hierarchy, subscriptions, mail filters, etc.

This operation is the same as the following **bm-cli** command:

```
bm-cli maintenance repair user@domain.net
```

As the user

The link in this section can be accessed by the admin0 superadministrator or any other administrator with the role "**Sudo (elevated privileges)**". This link is used to access the user's BlueMind, i.e. it logs into BlueMind in their place without them having to give their password.

Password

You can change/reset the user's BlueMind login password without knowing their old password.

PASSWORD

Password	<input type="text"/>
Confirm password	<input type="text"/>
	<input type="button" value="Change password"/>
Last password change	Tuesday, April 21, 2020 at 11:48:54 AM UTC+2
Update password on next login	<input type="checkbox"/>
Password never expires	<input type="checkbox"/>

From version 3.5.14, BlueMind has a more detailed password management and expiry policy.

If the password has been changed, this section now shows the date and time when it was changed and who changed it (an administrator or a user).



This information isn't retroactive -- dates prior to the server update to 3.5.14 are not shown.

For users created after the 3.5.14 version update, the change date may be the user's creation date.

From BlueMind v.3.5.15, you have two options:

- **Update password on next login:** the user will be forced to change their password the next time they log in
- **Password never expires:** this option excludes the user from the domain password expiry policy if it has been set up.

To enable either of these options, check the corresponding box and click "Save" at the bottom of the page.



AD or LDAP connections


The password expiry policy does not apply to users imported from an AD or LDAP directory.

Mailbox indexing

This section gives you access to indexing operations for a user's mailbox:

MAILBOX INDEXING

Consolidate mailbox index



Reconstruct mailbox index

- Consolidate mailbox index: completes the mailbox's current indexation by indexing missing items only
- Reconstruct mailbox index: longer but more comprehensive, runs a full indexation of the user's mailbox

Mobile devices

This section is used to manage user mobile devices: authorizations, synced devices, reset, remote wipe.

MOBILE DEVICES

Partnership	Identity	Type	Last Sync			
<input checked="" type="checkbox"/>	androidc717479104	Android	Wednesday, April 1, 2020 17:53		Reset sync	Remote wipe
<input checked="" type="checkbox"/>	androidc861127403	Android	Friday, March 13, 2020 16:42		Reset sync	Remote wipe

[Refresh list](#)

- **Partnership:** this box is used to suspend or enable a device's syncing without removing it altogether.
- **Identity:** shows the serial number the device signed in under
- **Type:** device brand/OS
- **Last Sync:** date and time of the device's latest sync with the server
- **Reset sync:** resets the device's sync information. The next sync will be performed the same way as an initial sync – the device will perform a full sync as if it had never been known to the server.

- **Remote wipe**: erases all the data on the device – including BlueMind-related information and personal information (photos, SMS, etc.) **This cannot be undone.**
See paragraph 4 on the page [EAS Server Configuration](#)
- **Trash icon**: removes a device from synced devices.
Removing a smartphone from the list blocks this device's synchronization in BlueMind - when unknown devices are not authorized by default. The "Authorize unknown devices" option is connected to a BlueMind instance. It can be modified by admin0, in the Central administration section > System Management > EAS server.
See the page [EAS Server Configuration](#)

DELETING USERS

Suspend

Users can be suspended. This allows you to block access to a user without deleting the data associated with them. As a result, users can be reactivated later and their account returns to its previous state.

To suspend a user:

- Go to Directories > [Directory Browser](#) and select the user.
- in the first tab ("General") check the "Suspended" box on the right hand side of the page and click "Save to apply changes".

Delete

To delete one or several users completely and permanently, go to the page Directories > [Directory Browser](#).

In the list of users, check the box at the beginning of the row for the user(s) you want to delete and click "Delete". You are then prompted to confirm deletion. **Once you confirm, the user(s) and all their data will be deleted permanently.**



Restoring a user

BlueMind allows you to restore a user by retrieving an earlier backup. Please refer to the "restore a backup" feature, which enables you to restore all or part of a user's data. Changes made to data since the last backup cannot be recovered.

See also [Procédure de départ utilisateur et redirection de ses mails](#)

PASSWORD SECURITY

To make user passwords more secure, you can install the "Password SizeStrength" plugin which lets you set strict password rules.

Installing the plugin

As root:

```
| aptitude install bm-plugin-core-password-sizestrength
```

To complete installation, you must restart BlueMind:

```
| bmctl restart
```

Configuration

Once the plugin is installed, it can be configured via file `/etc/bm/password.ini`, whose default installation values are:

```
| length=10  
| capital=1  
| digit=1  
| lower=1  
| special=1
```

- **length**: the minimum number of characters the password must contain
- **capital**: the minimum number of capital letters the password must contain
- **digit**: the minimum number of digits the password must contain
- **lower**: the minimum number of lowercase letters the password must contain
- **special**: the minimum number of special characters the password must contain. Special characters are:

| !"#\$%&'()*+,-./:;<=>?@[\] ^ _ ` { | } ~



These rules do not apply to administrators (global administrator admin0 or domain administrators) whose choice of password continues to be free.

If a user fails to comply with these rules when they attempt to modify their password, an alert will be displayed at the top of their page:

Mail Contacts Calendar

The password is invalid: at least 6 characters with 1 capital and 1 digit

John Doe | Logout



Account

- Mail
- Calendar
- Contacts
- Downloads
- API Keys
- About

General Tags Advanced

Language: English

Time zone: Europe/Paris

Date format: 2012-12-31

Time format: 13:00

Default application: Webmail

Password

Current password: ●●●●

Password: ●●

Confirm password: ●●

Update password

« Back Save